7/9/07

WEST Search History

Hide Items Restore Clear Cancel

DATE: Monday, July 09, 2007

Hid	le? <u>Se</u> Nai	<u>t</u> ne	Query	<u>Hit</u> Count
	DI	B=P	GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=ADJ	
	L1	12 I	L103 and (((nuclear or magnetic or electron) with (resonan\$2)) or NMR or MRI or ESR)	0
. [L1		L110 and (((nuclear or magnetic or electron or spin or paramagnetic) with (resonan\$2)) or NMR or MRI or ESR or EPR)	0
۲	. L1	10 6	L107 and ((toggle or toggl\$3 or movable or move or moved or moving or motion or alternat\$3 or change or changeable or changing or changed or variable or variable or oscillat\$3 or varying or rotat\$4 or nutat\$3 or rotatable or flip\$4 or tip\$4 or twist\$3 or dial\$3 or rotary) same ((quiescent\$3 or inactiv\$3 or "off" or rest\$3) same (position or state or operat\$4 or mode)))	35
	L10)9 (L107 and ((toggle or toggl\$3 or movable or move or moved or moving or motion or alternat\$3 or change or changeable or changing or changed or varied or variable or oscillat\$3 or varying or rotat\$4 or nutat\$4 or flip\$4 or tip\$4 or twist\$4 or dial\$4 or rotary) same ((quiescent\$3 or inactiv\$3 or "off" or rest\$3) same (position or state or operat\$4 or mode)))	35
Г	L 10	08 (L107 and ((toggle or toggl\$4 or movable or move or moved or moving or motion or alternat\$4 or change or changeable or changing or changed or varied or variable or oscillat\$4 or varying or rotat\$4 or nutat\$4 or flip\$4 or tip\$4 or twist\$4 or dial\$4 or rotary) same ((quiescent\$3 or inactiv\$3 or "off" or rest\$3) same (position or state or operat\$4 or mode)))	35
	L10)7 c	L106 and ((electrical\$2 or physical\$2 or mechanical\$2 or direct\$2) with (contact or connect\$2) same (gold or silver or copper or metal or metalic\$4 or rhodium or "rh" or "Ag" or "Au" or mercury or "cu"))	72
Γ	: L1		L105 and ((coil or antenna or probe or winding or loop or ring or anulus or anular\$2) same (capacit\$4))	107
Г			L104 and (switch\$4)	2410
.	L1	04 I	L91 and (gold or silver or copper or metal or metalic\$4 or rhodium or "rh" or "Ag" or "Au" or mercury or "cu")	3908
Γ	L1)3 I	L102 and (((parallel) with (bar or rod or cylinder)) same ((surfac\$3) with (contact\$4)))	1
Ī	J L1		L101 and ((coil or antenna or probe or winding or loop or ring or anulus or anular\$2) same (capacit\$4))	28
Г	L1	01 I	L91 and (lug\$4)	485
Γ.	L1	00 J	L91 and (lug\$4)	485
	LS	9 1	L91 and (lug\$4)	485
Γ	Lg	ı x	L97 and ((coil or antenna or probe or winding or loop or ring or anulus or anular\$2) same (capacit\$4))	1
Γ	LS	7	L94 and (lug\$4)	16
Γ	L	ın	L95 and ((coil or antenna or probe or winding or loop or ring or anulus or anular\$2) same (capacit\$4))	2
Ţ	Lg	5]	L94 and (((physical\$2 or mechanical\$2) with (electric\$4 or direct\$2)) with (contact\$4))	11
Γ.	L)4]	L91 and (((parallel) with (bar or rod or cylinder)) same ((surfac\$3) with (contact\$4)))	97
Г	L	3]	L91 and (((nuclear or magnetic or electron) with (resonan\$2)) or NMR or MRI or ESR)	9 `
Г	L	2]	L91 and (((nuclear or magnetic or electron) with (resonan\$2)) or NMR or ESR)	8

http://jupiter:9000/bin/cgi-bin/srchhist.pl?state=bd4or3.113.1&f=toc1&userid=tfetzner

Search	Histor	y Transcript	Page 2 of 4
C;	L91	(((200/275).ccls.) or ((200/278).ccls.) or ((200/16R).ccls.) or ((200/16A).ccls.))	5229
	L90	L4 and L1	25
	L89	L88 and ((equivalent same series same resistan\$2 or ESR) same (switch\$4))	1
	L88	L31 and (((physical\$2 or mechanical\$2) with (electric\$4 or direct\$2)) with (contact\$4))	310
	L87	L86 and ((equivalent same series same resistan\$2 or ESR) same (switch\$4))	1
	L86	L31 and (((parallel) with (bar or rod or cylinder)) same ((surfac\$3) with (contact\$4)))	53
	L85	L31 and (((physical\$2 or mechanical\$2) with (electric\$4 or direct\$2)) with (contact\$4) with (lug))	2
	L84	L75 and (((physical\$2 or mechanical\$2) with (electric\$4 or direct\$2)) with (contact\$4) with (lug))	1
	L83	L75 and (((parallel) with (bar or rod or cylinder)) same ((surfac\$3) with (contact\$4)))	1
	L82	L81 and (((physical\$2 or mechanical\$2) with (electric\$4 or direct\$2)) with (contact\$4))	2
	L81	L77 and ((nuclear or magnetic or electron) with (resonan\$2))	11
	L80	L79 and ((nuclear or magnetic or electron) with (resonan\$2))	2
	L79	L78 and (((physical\$2 or mechanical\$2) with (electric\$4 or direct\$2)) with (contact\$4))	4
	L78	L77 and ((physical\$2 or electric\$4 or mechanical\$2 or direct\$2) with (contact\$4))	16
	L77	L76 and (surfac\$3)	25
Г	L76	L75 and ((contact\$4 or node) same (area or region or volume or zone))	42
	L75	L73 and ((quiescent\$2 or inactiv\$3 or "off" or rest\$3) same (position or state or operat\$3 or mode))	268
; ;	L74	L73 and ((quiescent\$4 or inactiv\$4 or "off" or rest\$3) same (position or state or operat\$4 or mode))	268
	L73	L72 and (add or adding or added or addition or increas\$4)	369
	L72	L71 and ((coil or antenna or probe or winding or loop or ring or anulus or anular\$2) same (capacit\$4))	386
	L71	L70 and (coil or antenna or probe or winding or loop or ring or anulus or anular\$2)	499
П	L70	L69 and (capacit\$4)	683
	L69	L68 and ((equivalent same series same resistan\$2 or ESR) same (switch\$4))	949
	L68	(((nuclear or magnetic or electron) with (resonan\$2)) or NMR or MRI or ESR)	300534
П	L67	L66 and ((slid\$4 or rotary) with (switch\$4))	2
П	L66	L65 and (mercury or "Hg")	14
	L65	L64 and (rhodium or "rh")	215
	L64	L63 and (silver or "Ag")	886
П	L63	L62 and (gold or "Au")	1628
	L62	L61 and (copper or "cu")	2663
	L61	(contact with electrical with plating)	3986
	L60	L56 and (Rubidium or "RB")	8
	L59	L58 and (Rubidium or "RB")	1
	L58	L57 and (mercury or "Hg")	6
Ė	L57	L56 and (rhodium or "rh")	28
	L56	L55 and (silver or "Ag")	158
	L55	L54 and (copper or "cu")	320
http://j	upiter:	9000/bin/cgi-bin/srchhist.pl?state=bd4or3.113.1&f=toc1&userid=tfetzner	7/9/07

Search	Histor	y Transcript Pa	age 3 of 4
	L54	L53 and ((slid\$4 or rotary) with (switch\$4))	808
		L52 and (gold or "Au")	40376
	L52	((electrical\$2) with (contact or connect\$2) with (gold or silver or copper or metal or metalic\$4 or rhodium or "rh" or "Ag" or "Au" or mercury or "cu"))	154235
П	L51	L50 and (gold of "Au")	0
—	L50	L49 and (equivalent with series with resistan\$2)	36
.	L49	((semiconduct\$4 or semi-conduct\$4) with (contact or connection) same (coat\$4 or cover\$3) same (gold or silver or copper or metal or metalic\$4 or rhodium or "rh" or "Ag" or "Au" or mercury or "cu"))	14644
	L48	L47 and ((series) same (switch\$4))	21
	L47	fetzner	354
	L46	L45 and ((series) same (switch\$4))	. 11
	L45	L44 and (parallel)	17
	L44	L43 and (series)	24
	L43	L42 and ((contact\$4 or connect\$4 or link\$4 or bridg\$4) same (gold or silver or copper or metal or metalic\$4 or rhodium or "rh" or "Ag" or "Au" or mercury or "cu"))	25
П	L42	L37 and (gold or silver or copper or metal or metalic\$4 or rhodium or "rh" or "Ag" or "Au" or mercury or "cu")	52
	L41	L40 and ((contact\$4 or connect\$4 or link\$4 or bridg\$4) same (gold or silver or copper or metal or metalic\$4 or rhodium or "rh" or "Ag" or "Au" or mercury or "cu"))	22
	L40	L39 and (gold or silver or copper or metal or metalic\$4 or rhodium or "rh" or "Ag" or "Au" or mercury or "cu")	48
	L39	L38 and (((coil or antenna or probe or winding or loop or ring or anulus or anular\$2) same (capacit\$4)) same (circuit\$4))	75
	L38	L37 and (circuit\$4)	89
f	L37	L36 and L31	91
	L36	L35 and ((toggle or toggl\$4 or movable or move or moved or moving or motion or alternat\$4 or change or changeable or changing or changed or varied or variable or oscillat\$4 or varying or rotat\$4 or nutat\$4 or flip\$4 or tip\$4 or twist\$4 or dial\$4 or rotary) same ((quiescent\$3 or inactiv\$3 or "off" or rest\$3) same (position or state or operat\$4 or mode)))	1315
Γ;	L35	L34 and (disconnect\$4 or dis-connect\$4 or remov\$4 or eliminat\$4)	1751
	L34	L20 and ((inserting or inserted or insertable or adding or added or add or includ\$3 or additional) with (switch\$4))	2126
	L33	L32 and (gold or silver or copper or metal or metalic\$4 or rhodium or "rh" or "Ag" or "Au" or mercury or "cu")	4
	L32	L31 and L29	8
	L31	(((324/300 324/301 324/302 324/303 324/304 324/305 324/306 324/307 324/308 324/309 324/310 324/311 324/312 324/313 324/314 324/315 324/316 324/317 324/318 324/319 324/320 324/321 324/322).ccls.) or ((600/407 600/408 600/409 600/410 600/411 600/412 600/413 600/414 600/415 600/416 600/417 600/418 600/419 600/420 600/421 600/422 600/423 600/424 600/425 600/426 600/427 600/428 600/429 600/430 600/431 600/432 600/433 600/434 600/435).ccls.) or ((333/219 333/219.1 333/219.2 333/220 333/221 333/222 333/223 333/224 333/225 333/226 333/227 333/228 333/229 333/230 333/231 333/232 333/234 333/235).ccls.) or ((335/296 335/297 335/298 335/299 335/300 335/301 335/302 335/303 335/304 335/305 335/306).ccls.) or ((382/128 382/129 382/130 382/131).ccls.))	32075
Б	L30	L29 and (lug)	6
http://ji	upiter:	9000/bin/cgi-bin/srchhist.pl?state=bd4or3.113.1&f=toc1&userid=tfetzner	7/9/07

Search	Histor	y Transcript	Page 4 of 4
. '□	L29	L28 and ((Multiple or "multi" or multipole or "multi-pole") same (switch\$4))	220
Γ	L28	L27 and ((toggle or toggl\$4 or movable or move or moved or moving or motion or alternat\$4 or change or changeable or changing or changed or varied or variable or oscillat\$4 or varying or rotat\$4 or nutat\$4 or flip\$4 or tip\$4 or twist\$4 or dial\$4 or rotary) same ((quiescent\$3 or inactiv\$3 or "off" or rest\$3) same (position or state or operat\$4 or mode)))	455
Γ	L27	L26 and (toggle or toggl\$4 or movable or move or moved or moving or motion or alternat\$4 or change or changeable or changing or changed or variable or oscillat\$4 or varying or rotat\$4 or nutat\$4 or flip\$4 or tip\$4 or twist\$4 or dial\$4 or rotary)	533
	L26	L24 and (((tiny or minescul\$2 or small or little or minor or bit) with (gap or space or hole or distance or area or region or zone or volume)) same (position or state or operat\$3 or mode))	533
	L25	L24 and (((tiny or minescul\$4 or small or little or minor or bit) with (gap or space or hole or distance or area or region or zone or volume)) same (position or state or operat\$4 or mode))	533
	L24	L20 and ((tiny or minescul\$4 or small or little or minor or bit) with (gap or space or hole or distance or area or region or zone or volume))	990
Г	L23	L22 and (toggle or toggl\$4 or movable or move or moved or moving or motion or alternat\$4 or change or changeable or changing or changed or varied or variable or oscillat\$4 or varying or rotat\$4 or nutat\$4 or flip\$4 or tip\$4 or twist\$4 or dial\$4 or rotary)	502
Γ.	L22	L21 and (gold or silver or copper or metal or metalic\$4 or rhodium or "rh" or "Ag" or "Au" or mercury or "cu")	502
	L21	L20 and ((tiny or minescul\$4 or small or little or minor or bit) with (gap or space or hole or distance))	600
	L20	L19 and ((switch\$4) same (contact\$4 or connect\$4 or link\$4 or bridg\$4))	3168
, ,,,,	L19	L18 and ((coil or antenna or probe or winding or loop or ring or anulus or anular\$2) same (capacit\$4))	3998
	L18	L17 and (capacit\$4)	8052
П	L17	L16 and (contact\$4 or connect\$4 or link\$4 or bridg\$4)	12240
	L16	L15 and (coil or antenna or probe or winding or loop or ring or anulus or anular\$2)	12557
	L15	L14 and (switch\$4)	14508
.	L14	L13 and (((nuclear or magnetic or electron) with (resonan\$2)) or NMR or MRI or ESR)	40346
1	L13	((quiescent\$3 or inactiv\$3 or "off" or rest\$3) same (position or state or operat\$4 or mode))	2865183
	L12	((quiescent\$4 or inactiv\$4 or "off" or rest\$3) same (position or state or operat\$4 or mode))	2873344
	L11	L10 and (quiescent\$4)	2
7	L10	L4 and (switch\$4)	179
	L9	L8 and (switch\$4)	1
	L8	L7 and (((nuclear or magnetic or electron) with (resonan\$2)) or NMR or MRI or ESR)	1
	L7	L4 and ((equivalent same series same resistant) same (switch\$4))	85
	L6	L5 and ((equivalent with series with resistant) same (switch\$4))	1
Γ.	L5	(equivalent with series with resistant)	51
	L4	(equivalent same series same resistant)	1656
	L3	L1 and (equivalent same series same resistant)	25
Γ.;	L2	L1 and (equivalent with series with resistant)	1
	L1	(((nuclear or magnetic or electron) with (resonan\$2)) or NMR oe ESR)	144555

Hit List

First Hit Clear **Generate Collection** Generate OACS Print **Fwd Refs Bkwd Refs**

Search Results - Record(s) 1 through 1 of 1 returned.

1. Document ID: US 2864554 A

L98: Entry 1 of 1

File: USOC

Dec 16, 1958

US-PAT-NO: 2864554

DOCUMENT-IDENTIFIER: US 2864554 A

TITLE: OCR SCANNED DOCUMENT

DATE-ISSUED: December 16, 1958

INVENTOR-NAME: Name not available

US-CL-CURRENT: 235/60.12; 200/16C, 200/16R, 235/61PD, 235/61PH

	Generate OA
	·
Term	Document
COIL	134720
COILS	44696
ANTENNA	41626
ANTENNAS	10095
PROBE	41244
PROBES	19461
WINDING	73977
WINDINGS	24985
LOOP	96652
LOOPS	30367
RING	256233
(L97 AND ((COIL OR ANTENNA OR PROBE OR WINDING OR LOOP OR RING OR ANULUS OR ANULAR\$2) SAME (CAPACIT\$4))).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	

Display Format: -Change Format

Hit List

First HitClear Generate Collection Print Fwd Refs Bkwd Refs Generate OACS

Search Results - Record(s) 1 through 1 of 1 returned.

☐ 1. Document ID: US 2864554 A

L103: Entry 1 of 1

File: USOC

Dec 16, 1958

US-PAT-NO: 2864554

DOCUMENT-IDENTIFIER: US 2864554 A

TITLE: OCR SCANNED DOCUMENT

DATE-ISSUED: December 16, 1958

INVENTOR-NAME: Name not available

US-CL-CURRENT: 235/60.12; 200/16C, 200/16R, 235/61PD, 235/61PH

PARALLELS PARALL		1
PARALLELS BAR 1418252 BARS 629415 ROD 1672714 RODS CYLINDER CYLINDERS SURFAC\$3	Term	Documents
BAR 1418252 BARS 629415 ROD 1672714 RODS 666747 CYLINDER 1798170 SURFAC\$3	PARALLEL	3668967
BARS 629415 ROD 1672714 RODS 666747 CYLINDER 1798170 CYLINDERS 478688 SURFAC\$3	PARALLELS	20013
ROD 1672714 RODS 666747 CYLINDER 1798170 CYLINDERS 478688 SURFAC\$3 0	BAR	1418252
RODS 666747 CYLINDER 1798170 CYLINDERS 478688 SURFAC\$3 0	BARS	629415
CYLINDER 179817C CYLINDERS 478688 SURFAC\$3	ROD	1672714
CYLINDERS 478688 SURFAC\$3 (RODS	666747
SURFAC\$3	CYLINDER	1798170
	CYLINDERS	478688
SURFAC 52624	SURFAC\$3	0
	SURFAC	52624
SURFACA 1048	SURFACA	1048
(L102 AND (((PARALLEL) WITH (BAR OR ROD OR CYLINDER))	SAME ((SURFAC\$3) WITH (CONTACT\$4)))).PGPB,USPT,USOC,EPAB,JPAB,DWPI	1

Display Format: - Change Format